



VOX<sup>®</sup> TROUGH & POWER DRAWER


VOX <sup>®</sup> TROUGH & POWER DRAWER	209-226
Table of Contents	210
VOX®TROUGH	211-213
Wire Trough Specifications	211
Trough Wiring Options, Cable Management	212
How to Order	213
VOX® TROUGH AND POWER DRAWER SIMPLE FORUM	214-220
Pre-Configured Simple Forum	214-217
Custom Simple Forum	218-220
VOX <sup>®</sup> POWER DRAWER	221-231
Power Drawer with Bases	221
Power Drawer Specifications	222
Power Drawer Typical Layouts	223-224
How to Order	225-226

Wire troughs specified with Vox<sup>®</sup> Tables are pre-sized according to table length. Troughs are standard with 2 power boxes (SIMPLE Forums). 30" and 36" troughs are available with 2 6-port SIMPLE Forums. 42" troughs are available with either 2 or 3 6-port SIMPLE Forums.


4 ports SIMPLE Forum is also available as an option. Please contact sutomer service at 1800 668 9318.








View of underside of table



# VOX® TROUGH

Select your Wire Trough and Simple Forums (see page 228 - 235), add prices onto the List price of Vox Table. For inquires please contact customer service at 1-800-668-9318,



## Pre-configured SIMPLE Forum (4 ports 6¾" L x 2 "W)

Model #	pro wirod		\$485
39956/5	pre-wired power	1P 1P AO AO	φ400
		2 x pre-wired power with 10ft cord 2 x AMP CAT5E data with 9ft cord	
Model # 39956/6	pre-wired power	1P 1P A5 A5	\$535
		2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord	
Model # 39957/5	site-wired power	1P-SW 1P-SW AO AO	\$505
		2 x site-wired power with 6ft metallic shielded cable 2 x AMP CAT5E data with 9ft cord	
Model # 39957/6	site-wired power	1P-SW 1P-SW A5 A5	\$565
		2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord	
Model # 39958/5	pre-wired power	1P 1P 2U A0	\$585
		2 x pre-wired power with 10ft cord 1 x stacked USB charger 1 x AMP CAT5E data with 9ft cord	
Model # 39958/6	pre-wired power	1P   1P   2U   A5	\$615
		2 x pre-wired power with 10ft cord 1 x stacked USB charger 1 x SIEMON CAT6 data with 10ft cord	
Model # 39959/5	site-wired power	1P-SW 1P-SW 2U AO	\$620
		2 x site-wired power with 6ft metallic shielded cable 1 x stacked USB charger 1 x AMP CAT5E data with 9ft cord	

**List Price** 

#### List Price Pre-configured SIMPLE Forum (4 ports, 6<sup>3</sup>/<sub>4</sub>" L x 2" W) Model # site-wired \$635 1P-SW 1P-SW 2U A5 39959/6 power 2 x site-wired power with 6ft metallic shielded cable 1x stacked USB charger 1 x SIEMON CAT6 data with 10ft cord; Model # pre-wired \$555 1P 1P AO HD 39961/5 power 2 x pre-wired power with 10ft cord 1x AMP CAT5E data with 9ft cord 1 x HDMI coupler with 18" cord Model # pre-wired \$590 1P 1P HD Α5 39961/6 power 2 x pre-wired power with 10ft cord 1 x SIEMON CAT6 data with 10ft cord 1 x HDMI coupler with 18" cord Model # site-wired \$585 1P-SW 1P-SW HD **A0** 39962/5 power 2 x site-wired power with 6ft metallic shielded cable 1 x AMP CAT5E data with 9ft cord 1 x HDMI coupler with 18" cord Model # site-wired \$615 1P-SW 1P-SW Α5 HD 39962/6 power 2 x site-wired power with 6ft metallic shielded cable 1 x SIEMON CAT6 data with 10ft cord; 1 x HDMI coupler with 18" cord \$545 Model # pre-wired 1P 1P н HD 39963 power 2 x pre-wired power with 10ft cord 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18" cord Model # site-wired \$570 1P-SW 1P-SW н HD 39964 power 2 x site-wired power with 6ft metallic shielded cable

1 x USB port 3.0 with 10ft cord

Pre-config	ured SIMPLE Fo	orum (4 ports, for client's own data fitting)	List F
Model # 39956	pre-wired power	IPIP002 x pre-wired power with 10ft cord2 x open port / data adapter to fit in client's own data fitting & cord	\$415
Model # 39957	site-wired power	1P-SW1P-SW002 x site-wired power with 6ft metallic shielded cable2 x open port / data adapter to fit in client's own data fitting & cord	\$435
Model # 39958	pre-wired power	IP   IP   2U   0     2 x pre-wired power with 10ft cord     1 x stacked USB charger     1 x open port	\$510
Model # 39959	site-wired power	<b>IP-SWIP-SW2U0</b> 2 x site-wired power with 6ft metallic shielded cable1 x stacked USB charger1 x open port	\$535
Model # 39961	pre-wired power	1P1P0HD2 x pre-wired power with 10ft cord1 x open port1 x HDMI coupler with 18" cord	\$545
Model # 39962	site-wired power	<b>1P-SW0HD</b> 2 x site-wired power with 6ft metallic shielded cable1 x open port1 x HDMI coupler with 18" cord	\$570

Pre-config	ured SIMPLE F	orum (6	port	s 9¾	ű"Lx	2" W	/)
Model # 39941/5	pre-wired power	1P	1P	AO	AO	в	В
Model # 39941/6	pre-wired power	1P	1P	A5	A5	в	в
Model # 39942/5	pre-wired power				<b>AO</b> er with 6 ta with		
Model # 39942/6	pre-wired power		1P e-wired	A5 d powe	A5 er with 6 data wi		
Model # 39943/5	pre-wired power	2 x bla	nk plat 1P e-wirec	A0	Ao r with 1 ta with	<b>G</b> Oft cor	<b>c</b> rd
Model # 39943/6	pre-wired power	1 x HD 1 x auc	-DB15, dio 3.5r <b>1P</b>	/VGA c nm mir A5	connec hi stero A5	tor with jack w G	h 10ft c ith 10 f
Model #	site-wired	2 x SIE 1 x HD	EMON -DB15,	CAT6 /VGA c	r with 1 data wi connec hi stero	ith 10ft tor wit	cord h 10ft c
39944/5	power	2 x site 2 x AM 1 x HD	/IP CA1 -DB15,	l d powe 15E da <sup>:</sup> /VGA c	A0 er with 6 ta with connec ni stero	9ft cor tor wit	<sup>.</sup> d h 10ft c
Model # 39944/6	site-wired power	2 x site 2 x SIE 1 x HD	EMON -DB15,	l d powe CAT6 /VGA c	A5 er with 6 data wi connec ni stero	ith 10ft tor wit	cord h 10ft c

			_		_		_
Pre-configu	red SIMPLE For	um (6	port	s 9¾	ï"Lx	2" W	<b>'</b> )
Model # 39945/5	pre-wired power	1P	1P	AO	AO	HD	н
0004070		2 x pre 2 x AM 1 x HD 1 x USI	1P CAT MI cou	ıpler wi	ta with th 18" (	9ft coi cord	
Model # 39945/6	pre-wired power	1P	1P	A5	A5	HD	н
		2 x pre 2 x SIE 1 x HD 1 x USI	EMON MI cou	CAT6 Ipler wi	data w th 18" (	ith 10ft cord	
Model # 39946/5	site-wired power	1P-SW	1P-SW	AO	AO	HD	н
		2 x site 2 x AM 1 x HDM 1 x USE	P CAT VI cou	5E dat pler wit	a with th 18" c	9ft cor ord	
Model # 39946/6	site-wired power	1P-SW	1P-SW	A5	A5	HD	Н
		2 x site 2 x SIE 1 x HDM 1 x USE	MON MI cou	CAT6 of pler wit	data wi th 18" c	ith 10ft ord	
Model # 39947/5	pre-wired power	1P	1P	1P	AO	AO	AO
		3 x pre 3 x AM					
Model # 39947/6	pre-wired power	1P	1P	1P	A5	Α5	A5
		3 x pre 3 x SIE					
Model # 39948/5	site-wired power	1P-SW	1P-SW	1P-SW	AO	AO	AO
		3 x site 3 x AM					
Model #							

3 x site-wired power with 6ft metallic shielded cable

Pre-configure	d SIMPLE Fo	orum (6 j	ports	s, for	clien	ťs ov	vn da
Model # 39951	pre-wired power	1P	1P	o	o	ο	ο
		-	e-wirec en port				
Model # 39952	site-wired power	1P-SW	1P-SW	o	0	0	0
			e-wirec en port				
Model # 39953	pre-wired		<u> </u>	1	<b></b>		
	power	Зхор	<b>1P</b> e-wirec en port	-			
Model # 39954	site-wired	cord	i	ĺ			
	power	3 x site	e-wirec	powe	r with 6		

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

#### Adapter "AA"

Systimax/CommScope Uniprise/CommScope

#### Adapter "BB"

L-Com Keystone Modular Tyco SL/110 Connect Series Modular Jacks Siemon Keystone Style Allen Tel Versa Tap Series Leviton Quick Port® Series Nordx Keystone Style Tyco SL Conpler Series

## Adapter "CC"

Krone 6000 Series/ADC Hubbell Xcelerator™ Keystone Series

Adapter "DD" blank

Adapter "EE" Ortronics TracJack Series Adapter "FF" Panduit Mini-Com Series


Adapter "GG" microphone jack / 3pin XLR, solder type only

Adapter "HH" - video monitor jack / DB-15, pand mount solder type.

#### **CUSTOM SIMPLE FORUM**

_

CX4-\_\_\_\_



\$280

LIST PRICE

\$260

CX6-\_\_\_\_

Select the elements as per below:

	1P - 1 power receptacle with 10' white cord	\$105
	1P-SW - 1 power receptacle hard wired with a 6' whip	\$125
	A0- AMP CAT5E data fitting with 9' connector cable A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$120 \$140
•	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$65
	H - USB port 3.0 with 10ft cord	\$95
	2U - Stacked USB charger	\$130
	G - DB15HD, VGA connector, 10' cord	\$155
	HD - HDMI Coupler with 18" cord	\$155
	B - Blank plate	\$40
0	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit (see page 43)	\$40
$(\mathbf{x})$	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$40

## VOX<sup>®</sup> POWER DRAWER

POWER DRAWER WITH BASES


Vox® Power Drawers keep your table top clear and your technology tidy and discreet.

Power and connectivity have migrated from the top and into this sleek and concealed drawer. Introducing the Vox® Power Drawer, the latest addition to Vox® Connectivity.

The drawer is cleverly concealed within the table edge. International drawer clearance is 9.5" deep x 13 1/2" wide x 13/4" High. Once opened the drawer reveals a fully configurable, simple connectivity device and large area for containing excess cable.

Vox<sup>®</sup> table tops with Power Drawers are available with all Vox base styles. Power Drawers can be specified on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and up. (See typical layouts, pages 237-238)





Edge Profile



Vox<sup>®</sup> Access<sup>™</sup> base



Vox<sup>®</sup> T-leg™ base



Vox<sup>®</sup> Duo™ base



#### VOX® POWER DRAWER POWER DRAWER SPECIFICATIONS

1.1 = 100 1/4" gap to allow for cables to exit drawer Drawer exterior width: 15 1/2" Drawer interior width: 13 1/2" Comes standard with 2 power and 1-stacked USB charger; has 3 open ports that can be populated with data, AV and video connections (see page 241). Solid wood drawer face- to match top Metal hanger bracket - black power coat finish Anti-snag cable carrier ٥ 15/8" ()21/4" 000000 ()000000 ( Chair seat to MDF drawer sides - black P-Lam underside of drawer: 26 3/4 minimum 5" & maximum 8" 26 1/4" 30" H from table top to finish floor typical Nabu chair

## **VOX® POWER DRAWER**

POWER DRAWER TYPICAL LAYOUTS

The following are some examples of Power Drawer typical layouts on Vox® Rectangle, Racetrack, Boat and Square shape tables.


Note: 48" deep table tops must be in one piece (without support rails) in order to accommodate power drawers.

#### **Rectangle shape:**

Access base, Duo base, T-base, Taper base

#### **Racetrack shape:**

Access base, Duo base, T-base, Taper base




#### Boat shape:

Access base, Duo base, T-base, Taper base

#### Square shape:

Square Access base, Quad base, Taper Legs



## **VOX® POWER DRAWER**

up (see page 238-239).

HOW TO ORDER

Step One	Select your model of Vox® Conference Table.
	Vox® table tops with Power Drawers are available with all Vox® base styles (Access, Duo, T-Base, Taper & Tower). Power Drawers can be speci-
	fied on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and

Use this checklist to help select your Vox® conference table:

(a) Shape:	Rectangle Racetrack Boat Square
(b) Dimensior	D: L x D x 30"H
(c) Edge:	Taper Edge (only edge profile available for tables with Power Drawer)
(d) Finish:	Standard Veneer Standard Post Forming Grade Plastic Laminate
(e) Base:	Access Base     Duo Base     T Base     Taper Base     Tower Base     Quad Base     Square Access       Base     Base     Square Access     Base     Square Access


Step Two Add 3% upcharge to list price of the table selected in step one for additional cost of edge build up around perimeter of the table.

**Step Three** Add the price of Vox<sup>®</sup> Power Drawer:

Model #	Dimension	List Price (per Drawer)
50070	Exterior: 15 <sup>1/2</sup> "W x 21"D x 4 <sup>3/8</sup> "H	\$1,055
	Interior: 131/2"W x 91/2"D x 13/4"H	

The drawer front is in solid wood finish to match veneer or P-Lam top of the table. Drawer is in silver powder coat finish (PC-01). Contact Nienkamper Customer Service at 1-800-668-9318 with any inquiries, or to request a quotation.

Step Four Select pre-wired or site-wired power bar. Each power bar has 2 power and 1 stacked USB charger. Then configure your own required ports at Step Five.



## Step Five Select fittings for 3 open ports with model #50071J (pre-wired power bar) or 50072J (site-wired power bar) that can be populated with and add the price to list price of power bar in step four.

	AO - AMP CAT5E data fitting with 9' connector cable A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$120 \$140
•	C - Audio-3.5mm Mini stereo Jack with 10' cord	\$65
	H - USB port 3.0 with 10ft cord	\$95
	G - HDDB15, VGA connector, 10' cord	\$155
	HD - HDMI Coupler with 18" cord	\$155
	B - Blank plate	\$40
	O - Open port, for client's own data fitting. Each port selected will be supplied with one data adapter kit. See page 241	\$40
$(\mathbf{x})$	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$40

Below is an example of power bar with model #50071 & 50071 J-A0-A0-HD list price \$1,070.



#### YOUR CONFIGURATION

BASE:	Power Drawer
FINISH:	White
WIRING:	Pre wired with 120" whip
POSITION 1:	1P Power fitting
POSITION 2:	1P Power fitting
POSITION 3:	2U USB charging
POSITION 4:	AO AMP CAT5E data fitting with 9' cord
POSITION 5:	AO AMP CAT5E data fitting with 9' cord
POSITION 6:	HD HDMI couple with 18" cord