

Gateway™ -Wall Mounted Table Assembly

THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED, DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER FURNITURE & ACCESSORIES




REVIEW ENTIRE DOCUMENT PRIOR TO ASSEMBLY

This is a general assembly guide, not all conditions may apply to your particular installation.

- Questions: Nienkamper Customer Service 1-800-668-9318
- For email inquiries: mail@nienkamper.com

HARDWARE PARTS LIST



WALL BRACKET
25" x 2 1/2"



JOINER BOLT
1/4"-20 x 9/16"



JOINER BOLT
1/4"-20 x 1"



WASHER HEAD SCREW
1/4"-20 x 1"



WOOD SCREW
1/4"-20 x 5/8"



MOUNTING PLATE
1/4" x 3" x 4"

10.07.13

Gateway™ -Wall Mounted Table Assembly

THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED, DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER FURNITURE & ACCESSORIES



1
Mark a center line where the table is to be installed. Measure up 27 3/4" from floor and fasten bracket to wall. Note: bracket to wall hardware to be supplied by customer / installer in accordance to wall construction.



2
Fasten Support Rail to bracket with 1/4"-20 x 9/16" joiner bolts (qty 4)



3
Fasten Support Rail to Base with 1/4"-20 x 9/16" joiner bolts (qty 4)



4
Repeat steps 2 and 3 for second rail.



5
Completed Support Rail and Base structure.



6
Carefully set the Top in place on the Rail Structure.



7
Fix the Base to the top with 1/4"-20 x 1" Joiner Bolts (qty 4)



8
Fix the Rail to the top with #8 x 1" Washer Head Wood Screws (qty 4) and Mounting plate (qty 2).



9
Vox Forums mount from underside and are held in place with plastic thumb screws and tabs (qty 4).

10.07.13

Gateway™ -Wall Mounted Table Assembly

THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED, DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER FURNITURE & ACCESSORIES



10 Mount the Switcher Box shelf in place using #6 x 5/8" screws (qty 4).



11 With the supplied plastic tabs snapped into place on underside of Surge Protector, align with grooves in support rail and gently push into place (qty 1).



12 If your installation includes a Switcher Box - locate it now.




13 Slide the Switcher Box into place in Shelf.



14 Secure Switcher Box with screws provided by the Manufacturer.



15 Manage all cabling using the Wire Clips.



16 Pass "Show Me" cables through Forum face and plug into Switcher Box.



17 Manage all "Show Me" cables with Wire Management trays. To install, position closely to Forum and screw in place with #6 x 5/8" wood screws (qty4).

10.07.13